Synchronization Operating System Design – MOSIG 1

Instructor: Arnaud Legrand Class Assistants: Benjamin Negrevergne, Sascha Hunold

November 23, 2010

1 / 60

A. Legrand

Synchronization

Outline

Mutual exclusion

- Mutex: locks and conditions
- Implementing Synchronization
 - Interrupts
 - Spinlocks
 - Kernel Synchronization
- **Classical Synchronization Problems**
- Other Synchronization Structures Semaphores Monitors
- Deadlocks Preventior Detection

イロン イヨン イヨン イヨン

Surprising Interleaving

```
int count = 0;
void loop(void *ignored) {
    int i ;
    for (i=0 ; i<10 ; i++)
        count++;
}
int main () {
    tid id = thread_create (loop, NULL);
    loop (); thread_join (id);
    printf("%d",count);
}
```

What is the output of this program ?

Surprising Interleaving

```
int count = 0;
void loop(void *ignored) {
    int i ;
    for (i=0 ; i<10 ; i++)
        count++;
}
int main () {
    tid id = thread_create (loop, NULL);
    loop (); thread_join (id);
    printf("%d",count);
}
```

What is the output of this program ? Any value between 2 and 20

イロト 不得下 イヨト イヨト 二日

Surprising Interleaving

```
int count = 0;
void loop(void *ignored) {
    int i ;
    for (i=0 ; i<10 ; i++)
        count++;
}
int main () {
    tid id = thread_create (loop, NULL);
    loop (); thread_join (id);
    printf("%d",count);
}
```

- What is the output of this program ? Any value between 2 and 20
- Furthermore, compiler and hardware optimizations break sequential consistency

 \rightsquigarrow Need to protect such data and critical sections

A. Legrand

Problem Statement

n processes all competing to use some shared data

Each process has a code segment, called critical section, in which the shared data is accessed

Problem: Ensure mutual exclusion

When one process is executing in its critical section, no other process is allowed to execute in its critical section.



イロト 不得 トイヨト イヨト 二日

Desired Properties

- Mutual Exclusion
 - Only one thread can be in critical section at a time
- Progress
 - Say no process currently in critical section (C.S.)
 - One of the processes trying to enter will eventually get in
- Bounded waiting
 - Once a thread T starts trying to enter the critical section, there is a bound on the number of times other threads get in
- Note progress vs. bounded waiting
 - If no thread can enter C.S., don't have progress
 - ► If thread A waiting to enter C.S. while B repeatedly leaves and re-enters C.S. *ad infinitum*, don't have bounded waiting



A. Legrand

Desired Properties

- Mutual Exclusion
 - Only one thread can be in critical section at a time
- Progress
 - Say no process currently in critical section (C.S.)
 - One of the processes trying to enter will eventually get in
- Bounded waiting
 - Once a thread T starts trying to enter the critical section, there is a bound on the number of times other threads get in
- Note progress vs. bounded waiting
 - If no thread can enter C.S., don't have progress
 - ► If thread A waiting to enter C.S. while B repeatedly leaves and re-enters C.S. *ad infinitum*, don't have bounded waiting



Outline

Mutual exclusion

Mutex: locks and conditions

- Implementing Synchronization Interrupts Spinlocks Kernel Synchronization
- **Classical Synchronization Problems**
- Other Synchronization Structures Semaphores Monitors
- Deadlocks Preventior Detection

3

<ロ> (日) (日) (日) (日) (日)

Mutexes

- Want to insulate programmer from implementing synchronization primitives
- > Thread packages typically provide mutexes: void mutex_init (mutex_t *m, ...); void mutex_lock (mutex_t *m); int mutex_trylock (mutex_t *m); void mutex_unlock (mutex_t *m);
 - Only one thread acquires m at a time, others wait
 - All global data should be protected by a mutex!
- OS kernels also need synchronization
 - May or may not look like mutexes

Lock analogy



A. Legrand

Synchronization

Lock analogy



A. Legrand

Synchronization

Mutex: locks and conditions -

8 / 60

Consumer Producer

```
mutex_t mutex = MUTEX_INITIALIZER:
void producer (void *ignored) {
  for (;;) {
    /* produce an item and put in
      nextProduced */
    while (count == BUFFER_SIZE) {
      /* Do nothing */
    }
    buffer [in] = nextProduced:
    in = (in + 1) % BUFFER_SIZE;
    count++:
  }
```

```
void consumer (void *ignored) {
  for (;;) {
    while (count == 0) {
      /* Do nothing */
    }
    nextConsumed = buffer[out]:
    out = (out + 1) % BUFFER_SIZE;
    count--;
    /* consume the item in
       nextConsumed */
  }
```

▲□▶ ▲□▶ ▲□▶ ▲□▶ □ のの⊙

Dangerous because of data races

A. Legrand

Synchronization

Consumer Producer with Locks

```
mutex_t mutex = MUTEX_INITIALIZER:
void producer (void *ignored) {
  for (::) {
    /* produce an item and put in
       nextProduced */
    mutex_lock (&mutex):
    while (count == BUFFER_SIZE) {
      thread_vield ();
    }
    buffer [in] = nextProduced:
    in = (in + 1) % BUFFER_SIZE;
    count++:
    mutex_unlock (&mutex):
  3
```

```
void consumer (void *ignored) {
  for (::) {
    mutex_lock (&mutex);
    while (count == 0) {
      thread_vield ();
    3
    nextConsumed = buffer[out]:
    out = (out + 1) % BUFFER_SIZE;
    count--;
    mutex_unlock (&mutex):
    /* consume the item in
       nextConsumed */
  }
```

▲□▶ ▲□▶ ▲□▶ ▲□▶ □ のの⊙

What is "wrong" with this solution ?

A. Legrand

Synchronization

Consumer Producer with Locks

```
mutex_t mutex = MUTEX_INITIALIZER;
void producer (void *ignored) {
  for (::) {
    /* produce an item and put in
       nextProduced */
    mutex_lock (&mutex);
    while (count == BUFFER_SIZE) {
      mutex_unlock (&mutex);
      thread_vield ();
      mutex_lock (&mutex):
    }
    buffer [in] = nextProduced:
    in = (in + 1) % BUFFER_SIZE;
    count++:
    mutex_unlock (&mutex):
  }
```

```
void consumer (void *ignored) {
  for (::) {
    mutex_lock (&mutex);
    while (count == 0) {
      mutex_unlock (&mutex):
      thread_vield ();
      mutex_lock (&mutex):
    3
    nextConsumed = buffer[out]:
    out = (out + 1) % BUFFER_SIZE;
    count--;
    mutex_unlock (&mutex):
    /* consume the item in
       nextConsumed */
  ł
```

▲□▶ ▲□▶ ▲□▶ ▲□▶ □ のの⊙

Again... What is "wrong" with this solution ?

```
A. Legrand
```

Synchronization

Condition variables

Busy-waiting in application is a bad idea

- Thread consumes CPU even when can't make progress
- Unnecessarily slows other threads and processes
- Better to inform scheduler of which threads can run
- Typically done with condition variables
- void cond_init (cond_t *, ...);
 - Initialize
- void cond_wait (cond_t *c, mutex_t *m);
 - Atomically unlock m and sleep until c signaled
 - Then re-acquire m and resume executing
- void cond_signal (cond_t *c); void cond_broadcast (cond_t *c);
 - Wake one/all threads waiting on c
- A "condition variable" is a synchronization structure (a queue) It is often associated to a "logical condition" (hence the name)

10 / 60

Lock and Condition analogy



A. Legrand

Synchronization

Lock and Condition analogy



A. Legrand

Synchronization

Mutex: locks and conditions ----

11 / 60

Lock and Condition analogy



A. Legrand

Synchronization

Improved producer

```
mutex_t mutex = MUTEX_INITIALIZER;
cond_t nonempty = COND_INITIALIZER;
cond t nonfull = COND_INITIALIZER:
void producer (void *ignored) {
  for (::) {
    /* produce an item and
       put in nextProduced */
    mutex_lock (&mutex):
    if (count == BUFFER_SIZE)
      cond_wait (&nonfull, &mutex);
    buffer [in] = nextProduced;
    in = (in + 1) % BUFFER_SIZE:
    count++;
    cond_signal (&nonempty);
    mutex_unlock (&mutex):
  }
```

```
void consumer (void *ignored) {
  for (;;) {
    mutex_lock (&mutex);
    if (count == 0)
      cond_wait (&nonempty, &mutex)
    nextConsumed = buffer[out]:
    out = (out + 1) % BUFFER_SIZE;
    count--;
    cond_signal (&nonfull);
    mutex_unlock (&mutex):
    /* consume the item
       in nextConsumed */
```

▲□▶ ▲□▶ ▲□▶ ▲□▶ □ のの⊙

Does it work with many readers and many writers?

A. Legrand

Synchronization

Improved producer

```
mutex_t mutex = MUTEX_INITIALIZER;
cond_t nonempty = COND_INITIALIZER;
cond t nonfull = COND_INITIALIZER:
void producer (void *ignored) {
  for (::) {
    /* produce an item and
       put in nextProduced */
    mutex_lock (&mutex):
    while (count == BUFFER_SIZE)
      cond_wait (&nonfull, &mutex);
    buffer [in] = nextProduced;
    in = (in + 1) % BUFFER_SIZE:
    count++;
    cond_signal (&nonempty);
    mutex_unlock (&mutex):
  }
```

```
void consumer (void *ignored) {
  for (;;) {
    mutex_lock (&mutex):
    while (count == 0)
      cond_wait (&nonempty, &mutex)
    nextConsumed = buffer[out]:
    out = (out + 1) % BUFFER_SIZE;
    count--;
    cond_signal (&nonfull);
    mutex_unlock (&mutex):
    /* consume the item
       in nextConsumed */
```

▲□▶ ▲□▶ ▲∃▶ ▲∃▶ = のQ⊙

Always put a while around the waiting on a condition!

A. Legrand

Synchronization

Improved producer

```
mutex_t mutex = MUTEX_INITIALIZER:
cond_t nonempty = COND_INITIALIZER:
cond_t nonfull = COND_INITIALIZER:
void producer (void *ignored) {
  for (::) {
    /* produce an item and
      put in nextProduced */
    mutex_lock (&mutex):
    while (count == BUFFER SIZE)
      cond_wait (&nonfull, &mutex);
    buffer [in] = nextProduced;
    in = (in + 1) % BUFFER_SIZE;
    count++:
    cond_signal (&nonempty);
    mutex_unlock (&mutex):
```

```
void consumer (void *ignored) {
  for (;;) {
    mutex_lock (&mutex);
    while (count == 0)
      cond_wait (&nonempty, &mutex)
    nextConsumed = buffer[out]:
    out = (out + 1) % BUFFER_SIZE;
    count--:
    cond_signal (&nonfull);
    mutex_unlock (&mutex);
    /* consume the item
       in nextConsumed */
```

▲□▶ ▲□▶ ▲□▶ ▲□▶ □ のの⊙

Beware: this solution does not warrant First Come First Served!

A. Legrand

Condition variables (continued)

Why must cond_wait both release mutex & sleep? Why not separate mutexes and condition variables?

```
while (count == BUFFER_SIZE) {
    mutex_unlock (&mutex);
    cond_wait(&nonfull);
    mutex_lock (&mutex);
}
```

3

ヘロト 人間ト 人口ト 人口ト

Condition variables (continued)

Why must cond_wait both release mutex & sleep? Why not separate mutexes and condition variables?

```
while (count == BUFFER_SIZE) {
   mutex_unlock (&mutex);
   cond_wait(&nonfull);
   mutex_lock (&mutex);
}
```

Can end up stuck waiting when bad interleaving

- With mutex and conditions, we can implement safe (no data race) and efficient (no busy waiting) synchronization)
 - We will see soon that busy waiting has actually not completely disappeared

A. Legrand

```
Synchronization
```

Common Synchronization Problems

Deadlock P_0 and P_1 both want to access S and Q that are each protected by a lock:

P ₀	P ₁
lock(S.lock)	lock(R.lock)
lock(R.lock)	lock(S.lock)
unlock(R.lock)	unlock(S.lock)
unlock(S.lock)	unlock(R.lock)

Starvation There may be indefinite blocking (e.g., if resuming in LIFO order, if select in priority process that are not swapped, ...) Priority Inversion Assume we have three process L, M, H with priority L < M < H.

- 1. L acquires resource R
- 2. H tries to acquire R and is thus blocked
- 3. M becomes runnable and thereby preempts L
- 4. Hence, M affects how long H must wait for R

This priority inversion occurs only in systems with more than two priorities. Can be solved by implementing **priority inheritence**

A. Legrand

Other thread package features

- Alerts cause exception in a thread
- Timedwait timeout on condition variable
- Shared locks concurrent read accesses to data
- Thread priorities control scheduling policy
 - Mutex attributes allow various forms of *priority donation*
- Thread-specific global data
- Different synchronization primitives (in a few slides)
 - Monitors
 - Semaphores

▲□▶ ▲□▶ ▲□▶ ▲□▶ □ のの⊙

Outline

Mutual exclusion

- Mutex: locks and conditions
- Implementing Synchronization
 - Interrupts Spinlocks Kernel Synchronization
- **Classical Synchronization Problems**
- Other Synchronization Structures Semaphores Monitors

Deadlocks Preventior Detection

3

・ロン ・四 ・ ・ ヨン ・ ヨン

Implementing synchronization

User-visible mutex is a straight-forward data structure

```
typedef struct mutex {
   bool is_locked;   /* true if locked */
   thread_id_t owner;   /* thread holding lock, if locked */
   thread_list_t waiters; /* threads waiting for lock */
```

};

```
mutex_lock(struct mutex *L) {
    if(L->is_locked) {
        add myself to L->waiters;
        block();
    } else
        L->owner = myself;
        L->is_locked = true;
}
```

mutex_unlock(struct mutex *L) {
 pick P from L->waiters;
 L->owner = P;
 L->is_locked = false;
 wakeup(P)
}

▲□▶ ▲□▶ ▲□▶ ▲□▶ □ のの⊙

Implementing synchronization

User-visible mutex is a straight-forward data structure

```
typedef struct mutex {
   bool is_locked;   /* true if locked */
   thread_id_t owner;   /* thread holding lock, if locked */
   thread_list_t waiters; /* threads waiting for lock */
   lower_level_lock_t lk; /* Protect above fields */
}:
```

```
mutex_lock(struct mutex *L) {
    if(L->is_locked) {
        add myself to L->waiters;
        block();
    } else
        L->owner = myself;
    L->is_locked = true;
}
```

```
mutex_unlock(struct mutex *L) {
   pick P from L->waiters;
   L->owner = P;
   L->is_locked = false;
   wakeup(P)
}
```

Need lower-level lock lk for mutual exclusion

- Internally, mutex_* functions bracket code with lock(mutex->lk) ... unlock(mutex->lk)
- Otherwise, data races! (E.g., two threads manipulating waiters)

How to implement lower_level_lock_t?

A. Legrand

Outline

Mutual exclusion

Mutex: locks and conditions

Implementing Synchronization Interrupts

- Spinlocks Kernel Synchronization
- **Classical Synchronization Problems**
- Other Synchronization Structures Semaphores Monitors

Deadlocks Preventior Detection

A. Legrand

Approach #1: Disable interrupts

- Only for apps with n: 1 threads (1 kthread)
 - On a multiprocessor, the disable interrupt message has to be passed to all processors, which delays entry into each critical section and decreases efficiency.
 - But sometimes most efficient solution for uniprocessors
- Trick: Masking interrupts is costly. Instead, have perthread "do not interrupt" (DNI) bit
- lock (lk): sets thread's DNI bit
- If timer interrupt arrives
 - Check interrupted thread's DNI bit
 - If DNI clear, preempt current thread
 - ▶ If DNI set, set "interrupted" (I) bit & resume current thread
- unlock (lk): clears DNI bit and checks I bit
 - If I bit is set, immediately yields the CPU

Outline

Mutual exclusion

Mutex: locks and conditions

Implementing Synchronization

Interrupts Spinlocks Kernel Synchronization

Classical Synchronization Problems

Other Synchronization Structures Semaphores Monitors

Deadlocks Preventior Detection

A. Legrand

Approach #2: Spinlocks

- Most CPUs support atomic read-[modify-]write
- Example: int test_and_set (int *lockp);
 - Atomically sets *lockp = 1 and returns old value
 - Special instruction can't be implemented in portable C
- Use this instruction to implement spinlocks:

```
#define lock(lock) while (test_and_set (&lock))
#define trylock(lock) (test_and_set (&lock) == 0)
#define unlock(lock) lock = 0
```



イロト 不得下 イヨト イヨト 二日

Approach #2: Spinlocks

- Most CPUs support atomic read-[modify-]write
- Example: int test_and_set (int *lockp);
 - Atomically sets *lockp = 1 and returns old value
 - Special instruction can't be implemented in portable C
- Use this instruction to implement spinlocks:

```
#define lock(lock) while (test_and_set (&lock))
#define trylock(lock) (test_and_set (&lock) == 0)
#define unlock(lock) lock = 0
```



 Satisfies Mutual Exclusion and Progress but not Bounded Waiting

```
A. Legrand
```

Synchronization

Bounded Waiting with Test and Set

```
volatile boolean waiting[n]; // Initialized to 0
volatile boolean lock: // Initialized to 0
do {
  int islocked = 1:
  waiting[i] = 1;
  while (waiting[i] && islocked)
    islocked = test_and_set(&lock);
  waiting[i] = 0;
   critical section
  // look for next process to free
  j = (i+1) \% n;
  while((j!=i) && (!waiting[j]))
    j = (j+1)\%n;
  // free process j
  if(j==i) lock = 0;
  else waiting[j] = 0;
  remainder section
} while(1);
```

A. Legrand

Synchronization

Implementing Synchronization — Spinlocks

3

イロト 不得 トイヨト イヨト

Bounded Waiting with Test and Set

```
volatile boolean waiting[n]; // Initialized to 0
volatile boolean lock; // Initialized to 0
do {
    int islocked = 1;
    waiting[i] = 1;
    while (waiting[i] && islocked) // Do we really need islocked ?
        islocked = test_and_set(&lock);
    waiting[i] = 0;
```

critical section

```
// look for next process to free
j = (i+1)%n;
while((j!=i) && (!waiting[j]))
j = (j+1)%n;
// free process j
if(j==i) lock = 0;
else waiting[j] = 0;
remainder section
} while(1);
```

Synchronization
Mutex vs. Spinlocks

- Can you use spinlocks instead of mutexes?
 - On x86, requires the CPU to lock memory system around read and write
 - Prevents other uses of the bus (e.g., DMA)
 - Usually runs at memory bus speed, not CPU speed
 - Much slower than cached read/buffered write
 - Causes ping-pong cache line migration
 - Wastes CPU, especially if thread holding lock not running
- Spinlocks are often used by the kernel as a low-level mutex to implement a higher level mutex
 - Spinlocks = busy waiting but the only way to really implement mutual exclusion
 - When the Critical Section is long, this is extremely inefficient
 - Higher-level mutex = "few" busy waiting
 - With mutex, busy waiting is limited to the CSs of lock,unlock,wait, signal, which are short sections (about ten instructions).
 - Therefore, the CS os mutexes is almost never occupied and busy-waiting occurs rarely and only for a short time
 - On multiprocessor, sometimes good to spin for a bit, then yield

Outline

Mutual exclusion

Mutex: locks and conditions

Implementing Synchronization

Interrupts Spinlocks Kernel Synchronization

Classical Synchronization Problems

Other Synchronization Structures Semaphores Monitors

Deadlocks Preventior Detection

A. Legrand

ヘロト 人間 ト 人 ヨト 人 ヨトー

Kernel Synchronization

- Should kernel use locks or disable interrupts?
- Old UNIX had non-preemptive threads, no mutexes
 - Interface designed for single CPU, so count++ etc. not data race
- Nowadays, should design for multiprocessors
 - Even if first version of OS is for uniprocessor
 - Someday may want multiple CPUs and need preemptive threads
- Multiprocessor performance needs fine-grained locks
 - Want to be able to call into the kernel on multiple CPUs
- If kernel has locks, should it ever disable interrupts?

▲□▶ ▲□▶ ▲□▶ ▲□▶ □ のの⊙

Kernel Synchronization

- Should kernel use locks or disable interrupts?
- Old UNIX had non-preemptive threads, no mutexes
 - Interface designed for single CPU, so count++ etc. not data race
- Nowadays, should design for multiprocessors
 - Even if first version of OS is for uniprocessor
 - Someday may want multiple CPUs and need preemptive threads
- Multiprocessor performance needs fine-grained locks
 - Want to be able to call into the kernel on multiple CPUs
- If kernel has locks, should it ever disable interrupts?
 - Yes! Can't sleep in interrupt handler, so can't wait for lock
 - So even modern OSes have support for disabling interrupts
 - Often uses DNI trick, which is cheaper than masking interrupts in hardware
- Modern OS provide both mutex, spinlocks, ability to disable/enable interrupts, and even more (futex,).

▲□▶ ▲□▶ ▲□▶ ▲□▶ □ のの⊙

Outline

Mutual exclusion

- Mutex: locks and conditions
- Implementing Synchronization
 - Interrupts Spinlocks
 - Kernel Synchronization

Classical Synchronization Problems

Other Synchronization Structures Semaphores Monitors

Deadlocks Prevention Detection

3

イロト イポト イヨト イヨト

A few classical synchronization problems

Producer/Consumer

- the bounded-buffer problem, where consumers (resp. producers) need the buffer to be non-empty (resp. non-full) to proceed
- need to work with many producers and many consumers (then the while around the wait(condition, mutex) is mendatory)
- may or not respect FIFO order

Bank Account

- a bank with the two functions deposit(amount, account), withdraw(amount, account)
- a shared bank account where concurrently, the husband calls withdraw and the wife calls deposit

Reader/Writer

- the same shared memory is concurrently accessed by threads, some reading and some writing
- writers require exclusive access
- there may be multiple readers at the same time
- readers-preference, writers-preference, no thread shall be allowed to starve

Dining Philosophers

- N philophers eating rice around a round table
- only N chopsticks and philophers need to pick left and right chopsticks to eat
- avoid deadlock
- avoid starvation

▲□▶ ▲□▶ ▲□▶ ▲□▶ □ のの⊙

A few classical synchronization problems (cont'd)

Cigarette Smokers

- > you need paper, tobacco, and a match to make a cigarette
- 3 smokers around a table each with an infinite supply of one of the three ingredients
- an arbiter randomly select two smokers, takes one item out of their supply and puts it on the table, which enables the third smoker to smoke
- a smoker only begins to roll a new cigarette once he has finished smoking the last one

Sleeping Barber

- \blacktriangleright a barbershop: a waiting room with *n* chairs, a barber room with 1 barber
- if there is no customer to be served, the barber takes a nap
- when a customer enters the shop, if all chairs are occupied, then the customer leaves the shop (unshaved!)
- if the barber is busy but chairs are available, then the customer sits on one of the free chairs
- if the barber is asleep, the customer wakes up the barber

Traffic Lights and Intersection

- traffic lights of both ways are synchronized (using red/orange/green helps)
- each car spends a finite (random) time at the intersection
- only cars from of a given way (but both directions) can be in the intersection at the same time
- \rightsquigarrow need to forbid some cars to enter the intersection when the light needs to be switched but also needs to let the cars leave the intersection befor switching
- the intersection may contain up to k cars for each direction
- → need to forbid some cars to enter the intersection →
 Synchronization Classical Synchronization Problems —

Summary

- The dining philosophers will be worked out in the next practical session
- Implementing the three versions of the reader-writer problem will be your next programming assignment
- Work the others by yourself
- Often you'll realize the problem needs some extra specification
- In all these problems, fairness (avoiding starvation) may decrease throughput

イロト 不得下 イヨト イヨト 二日

Outline

Mutual exclusion

- Mutex: locks and conditions
- Implementing Synchronization
 - Interrupts
 - Spinlocks
 - Kernel Synchronization

Classical Synchronization Problems

Other Synchronization Structures Semaphores Monitors

Deadlocks Preventior Detection

A. Legrand

3

イロト イポト イヨト イヨト

Introduction

- Spinlocks, futex, or signal handling are special "kernel" synchronization mechanisms
- Mutex locks and conditions are standard synchronization structures available in any thread library
- There are a few other standard synchronization structures that I will present now

▲□▶ ▲□▶ ▲□▶ ▲□▶ □ のの⊙

Outline

Mutual exclusion

- Mutex: locks and conditions
- Implementing Synchronization
 - Interrupts
 - Spinlocks
 - Kernel Synchronization

Classical Synchronization Problems

Other Synchronization Structures Semaphores Monitors

Deadlocks Preventior Detection

A. Legrand

3

< ロ > < 同 > < 回 > < 回 > < 回 > <

Semaphore

- Thread packages typically provide semaphores.
- > A Semaphore is initialized with an integer N void sem_init
 (sem_t *s, unsigned int value);
 void sem_post (sem_t *s); (originally called V)
 void sem_wait (sem_t *); (originally called P)
 void sem_trywait (sem_t *);
 void sem_getvalue (sem_t *);
- Think of a semaphore as a purse with a certain number of tokens

```
sem_wait(sem_t S) {
  S->value--;
  if(S->value < 0) {
    add myself to S->waiters;
    block();
  }
```

```
sem_post(sem_t S) {
   S->value++;
   if(S->value <= 0) {
      pick P from S->waiters
      wakeup(P)
   }
}
```

Remember real implementations require lower level locking (e.g., spinlocks or interruption management)

Semaphores vs. Mutex

- If N == 1, then semaphore is a mutex with sem_wait as lock and sem_post as unlock Yet, is there a difference between a binary semaphore and a lock?
- Could use semaphores to implement conditions. Yet, is there a difference between a post and a signal?
- Can re-write producer/consumer to use three semaphores
- Semaphore mutex initialized to 1
 - Used as mutex, protects buffer, in, out...
- Semaphore full initialized to 0 (\approx number of items)
 - To block consumer when buffer empty
- Semaphore empty initialized to N (\approx number of free locations)
 - To block producer when queue full

▲□▶ ▲□▶ ▲□▶ ▲□▶ □ のの⊙

Consumer Producer with Semaphores

```
void producer (void *ignored) {
     for (::) {
         /* produce an item and put in nextProduced */
         sem_wait (&empty);
         sem_wait (&mutex);
         buffer [in] = nextProduced;
         in = (in + 1) % BUFFER_SIZE;
         sem_post (&mutex);
         sem_post (&full);
     }
 }
 void consumer (void *ignored) {
     for (;;) {
         sem_wait (&full);
         sem_wait (&mutex);
         nextConsumed = buffer[out];
         out = (out + 1) % BUFFER SIZE:
         sem_post (&mutex);
         sem_post (&empty);
         /* consume the item in nextConsumed */
     }
 }
                                            イロト 不通 ト イヨト イヨト
```

A. Legrand

Semaphores vs. Mutex

- Semaphores can implement Mutex and vice-versa
- Semaphores allow elegant solutions to some problems (producer/consumer, reader/writer)
- "One structure to rule them all" ^(C)
- Yet...

▲□▶ ▲□▶ ▲□▶ ▲□▶ □ のの⊙

Semaphores vs. Mutex

- Semaphores can implement Mutex and vice-versa
- Semaphores allow elegant solutions to some problems (producer/consumer, reader/writer)
- "One structure to rule them all" ⁽²⁾
- Yet... they are quite error prone
 - If you call wait instead of post, you'll have a deadlock.
 - If you forgot to protect parts of your code, then you may end up either with a deadlock or a mutual exclusion violation
 - You have "tokens" of different types, which may be harder to reason about
 - If by mistake you interchange the order of the wait and the post, you may violate mutual exclusion in an unreproducable way.
- That is why people have proposed higher-level language constructs

▲□▶ ▲□▶ ▲□▶ ▲□▶ □ のの⊙

Outline

Mutual exclusion

- Mutex: locks and conditions
- Implementing Synchronization
 - Interrupts
 - Spinlocks
 - Kernel Synchronization
- **Classical Synchronization Problems**

Other Synchronization Structures Semaphores Monitors

Deadlocks Preventior Detection

A. Legrand

3

イロト イポト イヨト イヨト

Monitors [BH][Hoar]

Programming language construct

- Possibly less error prone than raw mutexes, but less flexible too
- Basically a class where only one procedure executes at a time

```
monitor monitor-name
{
   // shared variable declarations
   procedure P1 (...) { ... }
   ...
   procedure Pn (...) { ... }
   Initialization code (..) { ... }
```

Can implement mutex w. monitor or vice versa

- But monitor alone doesn't give you condition variables
- Need some other way to interact w. scheduler
- Use conditions, which are essentially condition variables

イロト 不得下 イヨト イヨト 二日

Monitor implementation

Queue of threads waiting to get in

- Might be protected by spinlock
- Queues associated with conditions
- Two possibilities exist for the signal:
 - Signal and wait
 - Signal and continue

Both have pros and cons

Java provide monitors: just add the synchronized keyword. Locks are automatically acquired and release. They have only one waiting queue though.



(日) (周) (三) (三)

A. Legrand

Signal and continue analogy



Synchronization

Other Synchronization Structures — Monitors

3

ヘロト 人間 ト くほ ト くほ トー

Signal and wait analogy



A. Legrand

Synchronization

Other Synchronization Structures — Monitors

40 / 60

3

・ロト ・聞ト ・ヨト ・ヨト

Recap

- Synchronization structures enable to keep out of race conditions and optimizations breaking sequential consistency
- They may lead to deadlocks and starvation
- Enables to save resources if well used (avoid busy waiting as much as possible)
- Your critical sections should be as short as possible to avoid poor resource usage
- The tradeoff over-protecting/loosening mutual exclusion affects the tradeoff fairness/throughput
- All thread libraries provide Mutexes (locks and conditions) and semaphores. Some languages provide even higher level constructs like monitors.
- Efficient implementations require a lots of different non-standard tricks and tradeoffs (spinlock, interruption, user/kernel space,...)

イロト 不得 トイヨト イヨト 二日

Outline

Mutual exclusion

Mutex: locks and conditions

Implementing Synchronization

Interrupts

Spinlocks

Kernel Synchronization

Classical Synchronization Problems

Other Synchronization Structures Semaphores Monitors

Deadlocks Prevention Detection

A. Legrand

Synchronization

Deadlocks —

< □ ▶ < @ ▶ < ≧ ▶ < ≧ ▶ ≧ りへで - 42 / 60

The deadlock problem

```
mutex_t m1, m2;
void p1 (void *ignored) {
  lock (m1):
  lock (m2);
  /* critical section */
  unlock (m2):
  unlock (m1);
}
void p2 (void *ignored) {
  lock (m2);
  lock (m1);
  /* critical section */
  unlock (m1):
  unlock (m2);
```

This program can cease to make progress – how?

Can you have deadlock w/o mutexes?

A. Legrand	t i
------------	-----

イロト 不得 トイヨト イヨト 二日

More deadlocks

Same problem with condition variables

- Suppose resource 1 managed by c_1 , resource 2 by c_2
- A has 1, waits on c2, B has 2, waits on c1

Or have combined mutex/condition variable deadlock:

```
- lock (a); lock (b); while (!ready) wait (b, c);
unlock (b); unlock (a);
- lock (a); lock (b); ready = true; signal (c);
unlock (b); unlock (a);
```

One lesson: Dangerous to hold locks when crossing abstraction barriers!

I.e., lock (a) then call function that uses condition variable

Deadlocks w/o computers



Real issue is resources & how required

• E.g., bridge only allows traffic in one direction

- Each section of a bridge can be viewed as a resource.
- If a deadlock occurs, it can be resolved if one car backs up (preempt resources and rollback).
- Several cars may have to be backed up if a deadlock occurs.
- Starvation is possible.

(日) (同) (三) (三) (三)

Deadlock conditions

1. Limited access (mutual exclusion):

• Resource can only be shared with finite users.

2. No preemption:

- once resource granted, cannot be taken away.
- 3. Multiple independent requests (hold and wait):
 - don't ask all at once (wait for next resource while holding current one)
- 4. Circularity in graph of requests
- ► All of 1–4 necessary for deadlock to occur
- Two approaches to dealing with deadlock:
 - pro-active: prevention
 - reactive: detection + corrective action

Α.	Legrand	Svn	chi
	Lograna	U ,	· · · ·

イロト 不得 トイヨト イヨト 二日

Outline

Mutual exclusion

Mutex: locks and conditions

Implementing Synchronization

Interrupts

Spinlocks

Kernel Synchronization

Classical Synchronization Problems

Other Synchronization Structures Semaphores Monitors

Deadlocks Prevention Detection

A. Legrand

Synchronization

Deadlocks — Prevention

・ロト ・聞ト ・ヨト ・ヨト

Prevent by eliminating one condition

1. Limited access (mutual exclusion):

 Buy more resources, split into pieces, or virtualize to make "infinite" copies.

2. No preemption:

- Threads: threads have copy of registers = no lock
- Physical memory: virtualized with VM, can take physical page away and give to another process!
- You can preempt resources whose state can be easily saved and restored later

3. Multiple independent requests (hold and wait):

- Wait on all resources at once (must know in advance, bad resource usage, starvation, ...)
- 4. Circularity in graph of requests
 - Single lock for entire system: (problems?)
 - Partial ordering of resources (next)

Resource-allocation graph

View system as graph

- Processes and Resources are nodes
- Resource Requests and Assignments are edges
- Process:
- ► Resource w. 4 instances:
- P_i requesting R_j :
- P_i holding instance of R_j :

(日) (同) (日) (日) (日)

Example resource allocation graph



A. Legrand

Synchronization

Deadlocks — Prevention

50 / 60

Graph with deadlock



A. Legrand Synchronization

Deadlocks — Prevention 51 / 60

Is this deadlock?



Synchronization

Deadlocks — Prevention

52 / 60

Cycles and deadlock

- If graph has no cycles \implies no deadlock
- If graph contains a cycle
 - Definitely deadlock if only one instance per resource
 - Otherwise, maybe deadlock, maybe not
- Prevent deadlock w. partial order on resources
 - ▶ E.g., always acquire mutex *m*₁ before *m*₂
 - Usually design locking discipline for application this way

Prevention



- Determine safe states based on possible resource allocation
- Conservatively prohibits non-deadlocked states

Claim edges

- Dotted line is claim edge
 - Signifies process may request resource
- Process should claim edges all at once before requisting them.



イロト 不得 トイヨト イヨト

Upon request, transform claimed edge into an assignment edge only if does does not create a cycle (O(n²) algorithm).
 Otherwise, make it a request edge (even if you "could" allocate resource).
Example: unsafe state

Assume that P₁ requests R₂ (Figure is wrong and should be fixed for next year).



- Note cycle in graph
 - P_1 might request R_2 before relinquishing R_1
 - Would cause deadlock
- ► This techniques works only for systems with a single instance of each resource type. Other situations need more elaborate algorithms (e.g., banker's algorithm) = < = > =

A. Legrand

Synchronization

Deadlocks - Prevention

56 / 60

Example: unsafe state

Assume that P₁ requests R₂ (Figure is wrong and should be fixed for next year).



- Note cycle in graph
 - P_1 might request R_2 before relinquishing R_1
 - Would cause deadlock
- ► This techniques works only for systems with a single instance of each resource type. Other situations need more elaborate algorithms (e.g., banker's algorithm) = (=) = ○ ○

A. Legrand

Synchronization

Deadlocks - Prevention

56 / 60

Outline

- Mutual exclusion
- Mutex: locks and conditions
- Implementing Synchronization
 - Interrupts
 - Spinlocks
 - Kernel Synchronization
- **Classical Synchronization Problems**
- Other Synchronization Structures Semaphores Monitors

Deadlocks

Prevention Detection

A. Legrand

Synchronization

Deadlocks — Detection

・ロト ・聞ト ・ヨト ・ヨト

3

Detecting deadlock

- Static approaches (hard)
- Program grinds to a halt
- Threads package can keep track of locks held:



Resource-Allocation Graph

Corresponding wait-for graph

 Again, this techniques works only for systems with a single instance of each resource type. Otherwise use extensions of the banker's algorithm

A. Legrand

Synchronization

Deadlocks — Detection

Fixing & debugging deadlocks

Detection is costly \rightsquigarrow when ? how often ? is it really worth the effort ? ...

- Reboot system (windows approach)
- Examine hung process with debugger
- Threads package can deduce partial order
 - ► For each lock acquired, order with other locks held
 - If cycle occurs, abort with error
 - Detects potential deadlocks even if they do not occur
- Or use transactions...
 - Another paradigm for handling concurrency
 - Often provided by databases, but some OSes use them
 - Vino OS used transactions to abort after failures [Seltzer]
 - OS support for transactional memory now hot research topic

Transactions

► A transaction *T* is a collection of actions with

- Atomicity all or none of actions happen
- Consistency T leaves data in valid state
- ► Isolation T's actions all appear to happen before or after every other transaction T'
- Durability* T's effects will survive reboots
- Often hear mnemonic ACID to refer to above

Transactions typically executed concurrently

- But isolation means must appear not to
- Must roll-back transactions that use others' state
- Means you have to record all changes to undo them

When deadlock detected just abort a transaction

- Breaks the dependency cycle
- Most Lock-free algorithms rely on atomic read-modifywrite primitives.

Software transactional memories promises standard abstractions for writing efficient non-blocking code.

A. Legrand

Deadlocks — Detection